

TOTO LINK

The Smartest Network Device

www.totolink.net



SW24D

 100Mbps
Up to 10/100Mbps

24-Port 10/100Mbps Desktop Switch

➤ Overview

24-Port 10/100Mbps Desktop Switch

Model No. **SW24D**



SW24D is a Fast Ethernet Switch that designed for large home, SMB (Small and Medium Business) or workgroup users.

All 24 ports support auto MDI/MDIX, no need to worry about the cable type, simply plug and play. Moreover, the desktop and plastic design with wall-mounting holes makes the device an ideal solution for both home and office use.



➤ Features

- 24 10/100Mbps auto-negotiated RJ45 ports.
- Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode.
- 8K entry MAC address table and automatic address learning.
- Auto-MDI/MDIX eliminates the need for crossover cables.
- Store- and-Forward Switching scheme.
- Performs non-blocking full wired speed.
- Desktop and wall-mounting design.



Specification

General

| | |
|-----------------------|---|
| Standards | - IEEE 802.3, IEEE 802.3u, IEEE 802.3x |
| Interface | - 24*10/100Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX) |
| Power Supply | - 9VDC/800mA |
| LED | - 1*Power, Link/Act (1~24) |
| Dimensions(L x W x H) | - 8.9 x 5.0 x 1.8in. (227 x 127 x 45mm) |
| MAC Address Learning | - Auto-Learning, Auto-Aging |
| MAC Address Table | - 8K |
| Switching Capacity | - 4.8Gbps |
| Network Media | - 10BASE-T: UTP Cat 3, 4, 5 cable - 100BASE-TX/1000BASE-T: UTP Cat 5, 5e or above cable |
| Frame Filtering | - 10Mbps: 14,880pps - 100Mbps: 148,800pps |
| Transfer Method | - Store-and-Forward |
| Environment | - Operating Temperature: 0℃~50℃ (32℉~122℉) - Storage Temperature: -40℃~70℃ (-40℉~158℉) - Operating Humidity: 5%~95% non-condensing - Storage Humidity: 5%~95% non-condensing |
| Package Contents | - SW24D Desktop Switch - Power Adapter - Quick Installation Guide |

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road,
Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-3686-1138 | FAX : +86-755-3686-1139

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block,
Shajing Street, Baoan District, Shenzhen, Guangdong, China

Tel : +86-755-3686-1188 | FAX : +86-755-3686-1133